

Cellular



*Blinds so beautiful
you'll want to keep*





NEW



Cellh

YALE B/O
— Blackout —




NEW



MINK B/O
— Blackout —

NEW



FLAX B/O
— Blackout —

NEW



BRONZE B/O
— Blackout —



NEW



CLAY B/O
— Blackout —



Blackout

CELLULAR BLACKOUT

Article	Yale Mink Flax Bronze	
Basic material		100 % Polyester
Cell size		38 mm
Max. width		200 cm
Weight approx.		220 gsm
Thickness		0.2 mm (approx)
Transparency degree		Blackout
Light fastness		4 to 5
Sound absorption		0.60 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Yale	5.78	23.20%	99%	100%
Mink	5.78	23.20%	99%	100%
Flax	5.78	23.20%	99%	100%
Bronze	5.78	23.20%	99%	100%
Clay	5.78	23.20%	99%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and More against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



NEW

NEW



NEW

NEW

NEW

Cellular

MOSS B/O
— Blackout —

FLAMINGO B/O
— Blackout —

MAUVE B/O
— Blackout —

PLUM B/O
— Blackout —

PEWTER B/O
— Blackout —



LIVIN[®]
BLINDS



Blackout

CELLULAR BLACKOUT

Article	Moss Flamingo Mauve
Basic material	100 % Polyester
Cell size	38 mm
Max. width	200 cm
Weight approx.	220 gsm
Thickness	0.2mm (approx)
Transparency degree	Blackout
Light fastness	4 to 5
Sound absorption	0.60 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Moss	5.78	23.20%	99%	100%
Flamingo	5.78	23.20%	99%	100%
Mauve	5.78	23.20%	99%	100%
Plum	5.78	23.20%	99%	100%
Pewter	5.78	23.20%	99%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and More against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



NEW


NEW



NEW

NEW

NEW



Cellular

MARINE B/O
— Blackout —

RUBY B/O
— Blackout —

TROUT B/O
— Blackout —

OLIVE B/O
— Blackout —

JADE B/O
— Blackout —



Blackout

CELLULAR BLACKOUT

Article	Marine Ruby Trout
Basic material	100 % Polyester
Cell size	38 mm
Max. width	200 cm
Weight approx.	220 gsm
Thickness	0.2mm (approx)
Transparency degree	Blackout
Light fastness	4 to 5
Sound absorption	0.60 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Marine	5.78	23.20%	99%	100%
Ruby	5.78	23.20%	99%	100%
Trout	5.78	23.20%	99%	100%
Olive	5.78	23.20%	99%	100%
Jade	5.78	23.20%	99%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and More against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.




NEW

NEW

NEW

NEW

NEW



Cellulose

ASH B/O
— Blackout —

SEAL B/O
— Blackout —

SALMON B/O
— Blackout —

FERN B/O
— Blackout —

SMOKE B/O
— Blackout —





Blackout

CELLULAR BLACKOUT

Article	Ash Seal Salmon Fern
Basic material	100 % Polyester
Cell size	38 mm
Max. width	200 cm
Weight approx.	220 gsm
Thickness	0.2mm (approx)
Transparency degree	Blackout
Light fastness	4 to 5
Sound absorption	0.60 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Ash	5.78	23.20%	99%	100%
Seal	5.78	23.20%	99%	100%
Salmon	5.78	23.20%	99%	100%
Fern	5.78	23.20%	99%	100%
Smoke	5.78	23.20%	99%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and Month against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Cellu




COTTON
Translucent



CREAM
Translucent



SAND
Translucent



RUST
Translucent



COCOA
Translucent





Translucent

CELLULAR TRANSLUCENT

Article	Cotton Cream Sand
Basic material	100 % Polyester
Cell size	38 mm
Max. width	300 cm
Weight approx.	170 gsm
Thickness	0.2 mm (approx)
Transparency degree	Translucent
Light fastness	4 to 5
Sound absorption	0.50 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.


ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Cotton	4.55	21.58%	50%	100%
Cream	4.55	21.58%	50%	100%
Sand	4.55	21.58%	50%	100%
Rust	4.55	21.58%	50%	100%
Cocoa	4.55	21.58%	50%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and Month against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Cellular

OFF WHITE
Translucent

WATER GREEN
Translucent

PURPLE
Translucent

BORDEAU
Translucent

BLUE
Translucent





Translucent

CELLULAR TRANSLUCENT

Article	Off White Water Green
Basic material	100 % Polyester
Cell size	38 mm
Max. width	300 cm
Weight approx.	170 gsm
Thickness	0.2 mm (approx)
Transparency degree	Translucent
Light fastness	4 to 5
Sound absorption	0.50 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Off White	4.55	21.58%	50%	100%
Water Green	4.55	21.58%	50%	100%
Purple	4.55	21.58%	50%	100%
Bordeaux	4.55	21.58%	50%	100%
Blue	4.55	21.58%	50%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.


Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and Month against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Cellular




ONION B/O
— Blackout —




WATER GREEN
— Blackout —



MAHOGANI B/O
— Blackout —



PURPLE B/O
— Blackout —



BLUE B/O
— Blackout —



LIVIN[®]
BLINDS



Blackout

CELLULAR BLACKOUT

Article	Onion Water Green Mahogany Purple Blue
Basic material	100 % Polyester
Cell size	38 mm
Max. width	300 cm
Weight approx.	220 gsm
Thickness	0.2mm (approx)
Transparency degree	Blackout
Light fastness	4 to 5
Sound absorption	0.60 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Onion	5.78	23.20%	99%	100%
Water Green	5.78	23.20%	99%	100%
Mahogany	5.78	23.20%	99%	100%
Purple	5.78	23.20%	99%	100%
Blue	5.78	23.20%	99%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and Month against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Cotton

COTTON B/O
— Blackout —

SAND B/O
— Blackout —

RUST B/O
— Blackout —

PONGEE B/O
— Blackout —

COCOA B/O
— Blackout —





Blackout

CELLULAR BLACKOUT

Article	Cotton Sand Rust Pongee Cocoa
Basic material	100 % Polyester
Cell size	38 mm
Max. width	300 cm
Weight approx.	220 gsm
Thickness	0.2 mm (approx)
Transparency degree	Blackout
Light fastness	4 to 5
Sound absorption	0.60 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Cotton	5.78	23.20%	99%	100%
Sand	5.78	23.20%	99%	100%
Rust	5.78	23.20%	99%	100%
Pongee	5.78	23.20%	99%	100%
Cocoa	5.78	23.20%	99%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and More against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Cellh

COCOA LENS
— Lenin —

AVOCADO
— Lenin —

AGATE RED
— Lenin —

ROYAL PURP
— Lenin —

JEAN BLUE
— Lenin —

LIVIN[®]
BLINDS



Translucent

CELLULAR LENIN

Article	Cocoa Avocado Agate Red
Basic material	100 % Polyester
Cell size	38 mm
Max. width	300 cm
Weight approx.	170 gsm
Thickness	0.2 mm (approx)
Transparency degree	Translucent
Light fastness	4 to 5
Sound absorption	0.53 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Cocoa	4.00	19.17%	50%	100%
Avocado	4.00	19.17%	50%	100%
Agate Red	4.00	19.17%	50%	100%
Royal Purple	4.00	19.17%	50%	100%
Jean Blue	4.00	19.17%	50%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are:

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and Month against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Cellh

LIGHT GREY
— Cloth —



CLOTH SAND
— Cloth —



PALE PINK
— Cloth —



AQUA GREEN
— Cloth —



SKY BLUE
— Cloth —





Translucent

CELLULAR CLOTH

Article	Light Grey Cloth Sand Pale
Basic material	100 % Polyester
Cell size	38 mm
Max. width	300 cm
Weight approx.	170 gsm
Thickness	0.2 mm (approx)
Transparency degree	Translucent
Light fastness	4 to 5
Sound absorption	0.55 NRC

All specifications are based on average values and may deviate within the standard tolerance limits. Subject to technical changes.

ENERGY EFFICIENCY RATINGS				
Colour	R-Value	% Reduction of Heat Transfer	shading value	UV Blocking
Light Grey	4.39	20.91%	50%	100%
Cloth Sand	4.39	20.91%	50%	100%
Pale Pink	4.39	20.91%	50%	100%
Aqua Green	4.39	20.91%	50%	100%
Sky Blue	4.39	20.91%	50%	100%

R-Value indicates the effectiveness of the window covering at preventing energy from flowing to the outside.

Cellular blinds are design, that creates air pockets, which acts as an insulator between room and window. Three main features of white back technology are :

- 1. Energy Efficiency-Superior insulation:** Unique air pockets trap air and help to keep a more constant indoor temperature. this way cellular blinds insulates your windows from heat and cold regardless of climate.
- 2. Minimal Light Gaps :** Cellular shades have minimal light gaps in recess fit, which is a significant advantage in rooms where a complete blackout solution is required.
- 3. Sound Absorption :** Sound energy is absorbed, keeping exterior noise out and dulling interior sound.

Sun protection products from Livin Blinds are exclusively manufactured with state of the art machinery which guarantees the highest quality. Our experienced employees are aware of their responsibility to our end consumers with respect to quality. Livin Blinds is also working to get ISO 9001. Considering usage of Quality Products & Processes in manufacturing, our Blinds are guaranteed for a period of 1 year and Month against manufacturing defects. Guarantee does not imply on the consequences of incorrect handling, processing and care of our products are excluded and confirmed.



Livin Products Pvt. Ltd.

Office : 4855/56, Harbans Street,
24 Ansari Road, Daryaganj Delhi-02

Works : 782, HSIIDC Industrial Estate,
Baj Sonapat (Haryana)